



solid wood floors

tuscan





Golden Hand Distressed Oak 120 Lacquered





hand distressed





The superior quality of Tuscan's solid wood floors makes them hardwearing enough to cope with the daily wear and tear throughout your home. Even in the busiest of areas. With its beautiful good looks, Tuscan flooring will always give a warm welcome. Easy to maintain and easy to clean, you can be sure it will keep its stylish appearance. Peace of mind and decades of enjoyment to look forward to.



lacquered



Rustic Oak 120 Lacquered





west corner is lower if had a compass because we were in  
history and I wanted to know where Sweden was when we  
in France) and the field is tilted downwards slightly along the  
between these two corners so that the north-west and south-west  
corners are slightly lower than they would be if the field was a flat  
inclined plane.

- 6. I can see three different types of grass and two colours of  
flowers in the grass.
- 7. The cows are mostly facing uphill.

And there were 21 more things in this list of things I noticed  
but Soobhan said I didn't need to write them all down. And it  
means that it is very boring if I am in a new place because I see all  
these things, and if someone asked me afterwards what the cows  
looked like, I could ask which one, and I could do a drawing of  
them at home and say that a particular cow had patterns on it like  
this.



And I realise that I told a lie in **Chapter 13** because I said, 'I  
cannot tell jokes', because I do know 3 jokes that I can tell and I

Life's busy enough without having to work too hard at keeping up the appearance of your floor. Whether in a busy kitchen or relaxed living space, you needn't worry about the durability or ease of maintenance. Tuscan floors are simply and easily cleaned. As a natural floor, wear and tear over time is perfectly normal.



For a design alternative to solid timber, how about bamboo? It's even more hardwearing than timber. High on looks, low on maintenance – guaranteed. It's also resistant to water, stains and humidity which makes it a versatile floorcovering for many areas of the home. A 100% natural product, bamboo is the fastest growing grass plant in the world. Naturally beautiful. Environmentally kind.



Bamboo Natural Horizontal



bamboo

# The complete Tuscan solid wood floor range

## Hand Distressed Lacquered



**Walnut Stained Hand Distressed Oak**  
Available in 120mm width/18mm thick in packs of 2,112m<sup>2</sup>



**Big Earth Hand Distressed Oak**  
Available in 120mm width/18mm thick in packs of 2,112m<sup>2</sup>  
Also in 150mm width/19mm thick in packs of 1,980m<sup>2</sup>



**Golden Hand Distressed Oak**  
Available in 120mm width/18mm thick in packs of 2,112m<sup>2</sup>  
Also in 150mm width/19mm thick in packs of 1,980m<sup>2</sup>

## Lacquered



**Rustic Oak 90**  
Available in 90mm width/18mm thick in packs of 1,296m<sup>2</sup>



**Rustic Oak 120**  
Available in 120mm width/18mm thick in packs of 2,112m<sup>2</sup>



**Maple**  
Available in 120mm width/18mm thick in packs of 2,112m<sup>2</sup>

## Brushed & UV Oiled



### **Brushed & UV Oiled Oak 150**

Available in 150mm width/19mm thick in packs of 1,980m<sup>2</sup>



### **Brushed & UV Oiled Oak 180**

Available in 180mm width/20mm thick in packs of 2,376m<sup>2</sup>

## Bamboo



### **Bamboo Natural**

Available in 96mm width/15mm thick in packs of 2,212m<sup>2</sup>  
Shown in horizontal cut, also available in vertical



### **Bamboo Carbonised**

Available in 96mm width/15mm thick in packs of 2,212m<sup>2</sup>  
Shown in horizontal cut, also available in vertical

# Tuscan accessories

## Installation products



### Combistar

Combistar is a colour-matched 3-in-1 profile that allows for expansion gaps and a smooth transition between different floorcoverings within your home.



### Veneered wrap scotia

Veneered wrap scotia conceals the expansion gap between the edge of the floor and the skirting board. Available in all Tuscan design finishes.



### Sika adhesives

T55 and T53 are European manufactured adhesives specifically designed for glueing down hardwood flooring

## Care & maintenance products



### Carver maintenance products

Soap and oil products for the maintenance of your Tuscan brushed and oiled floor. Please refer to separate maintenance leaflet.



### Tuscan no wax cleaner

Designed for regular maintenance of all Tuscan lacquered floors, including hand distressed.

# How to select a floor



plank width	90 mm		96 mm		120 mm		150 mm		180 mm	
Specie	Rustic Oak		Bamboo Natural Bamboo Carbonised		Rustic Oak Golden Hand Distressed Oak Big Earth Hand Distressed Oak Maple Walnut Stained Hand Distressed Oak		Brushed & Oiled Oak Golden Hand Distressed Oak Big Earth Hand Distressed Oak		Brushed & Oiled Oak	
	nail down	stick down	nail down	stick down	nail down	stick down	nail down	stick down	nail down	stick down
Floor joists (to BS8201)					✓		✓		✓	
Particle board (chipboard) floor fixed to joists		✓		✓		✓		✓		
Concrete floor (moisture content no more than 4%)		✓		✓		✓		✓		
Concrete floor (with 18mm plywood on the surface)	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Concrete floor (with 18mmx 50mm battens fixed at 400 centres)					✓		✓		✓	

# General information

## Care & maintenance

Vacuum, sweep or dust mop your floor once a week, or more if needed. The vacuum head must be brush or felt, and a wand attachment is preferable. Do not use vacuums with beater bars or hard heads.

Spills and tracked-in dirt should be wiped up immediately.

Periodically clean your floor with the appropriate products. For a lacquered floor, use a No Wax Cleaner. For a brushed & oiled floor, use the Carver maintenance products. Please refer to separate maintenance leaflet.

Use interior and exterior doormats at all entrances to collect dirt and moisture and prevent it from being tracked onto the floor.

Never clean or wet mop with water. Water may permanently damage the floor.

Never use any of the following products (or products similar in nature) on your floor: ammonia-based cleaners, acrylic finishes, wax-based products, detergents, bleach, polishes, oil soap, abrasive cleaning soaps, or acidic materials such as vinegar.

We recommend that brushed and oiled flooring is re-oiled immediately after installation. Please contact installer or retailer for further information.

All Tuscan floors are manufactured from natural products and can be damaged by high heels, pets and inadequate maintenance. Keep animal nails trimmed to minimise scratches to the surface.

Use furniture leg protector pads under all furniture and make certain to keep them clean and well maintained.

Keep the relative humidity in your home between 35% and 55%.

Direct sunlight can alter the appearance of your floor.

Always refer to the Tuscan recommended maintenance procedures which can be downloaded from [www.tuscanflooring.co.uk](http://www.tuscanflooring.co.uk).

## Installation

We recommend that Tuscan flooring is installed either using a nail down or full glue down method. Installation instructions can be found in each flooring pack or downloaded from [www.tuscanflooring.co.uk](http://www.tuscanflooring.co.uk).

Prior to installation, your Tuscan flooring must be allowed to acclimatise as detailed on the installation instructions.

The subfloor must conform to BS 8201:1987. Prior to installation, we recommend that your subfloor is checked by a professional flooring contractor to determine its suitability. All floors must be clean, dry and level. Tuscan flooring products are not recommended for bathrooms, conservatories, and areas of high humidity.

Tuscan flooring should not be installed directly onto Bitumen. For further information, please discuss with your local retailer or installer.

Disclaimer – wood is a natural product and the colour and grain may vary. Planks should be blended and mixed by your installer. Tuscan flooring has natural defects including sapwood and knots that have been filled.

Due to variables in the photographic and printing processes, colours shown in this brochure may vary from the actual product.

## Warranty

Tuscan flooring comes with a limited 10 year residential warranty against manufacturing defect.

To maintain the validity of your warranty, your Tuscan flooring must be installed, cleaned and cared for in accordance with the published installation and care & maintenance advice. Please note that any longer term renovation of your floor, involving sanding and sealing will render the original warranty invalid.

## Environment

We endeavour to work in partnership with our suppliers and customers to facilitate the provision of clear information about the sources of our wood products wherever practicable. We seek to obtain clear evidence of good forest management practice at the original source. Whilst our intention is to give preference to those suppliers who can provide such evidence, we also accept the need to work with those who are less able but are genuinely seeking to attain high standards of forest management.

